

NMCI Server Transition Efforts, Supporting Architectures and Program of Record Information for Creating Compliant Applications

Jeffery Naus NMCI Chief Engineer SPAWAR 055, PMW 164 jeff.naus@navy.mil 20 June 05

NMCI Focus Areas



- > Seat cutover complete by mid-2006
- ➤ Tech Refresh XP SP2 & Office 2003 if site ready, otherwise Win 2K & Office 2003 on new HW
- ➤ Legacy Reduction driven by the FAM Process and need to eliminate the legacy networks
- Customer Satisfaction have to get better!

Legacy Network Reduction is one of ACNO-IT & DRPM priority areas

Legacy Networks to Solutions IPT Goals & Objectives



- Develop overall enterprise strategy to shut down legacy networks
- Determine solutions and policies required to successfully transition off legacy networks
- > Develop a map of solutions and categories of applications
- > Ensure that solutions are executable from the following perspectives:

□Business
□ Application
□Technology
□ Organizational
□Governance


Develop repeatable processes for the elimination of legacy networks

The NMCI Information System Transition Team's (NISTT) efforts are a crucial component to make legacy network shutdown happen!

Key Milestones


For Meeting





Key Milestones (Continued)











Legacy Network Shutdown "Hot Spots"



- > DMZ Schedule
- Coordination with ACNO(IT)
- Resolution of outstanding Web Hosting Issue
- > BDNA Scanning
- Resolution of contracts issues with connecting Program of Record (POR) seats
- > CLIN 27 Tactical Schedule
 - We need to keep a "scorecard" for how many servers we transition off legacy networks
- Formal Release of Legacy System Certification and Accreditation (C&A) Policy
- Overall program site legacy network shutdown schedule

Traps we can't fall into!





*The Five Dysfunctions of a Team

*Source: "Overcoming The Five Dysfunctions of a Team" By Patrick Lencioni


Legacy Networks to Solutions IPT Goals & Objectives



- Develop overall enterprise strategy to shut down legacy networks
- Determine solutions and policies required to successfully transition off legacy networks
- > Develop a map of solutions and categories of applications
- Ensure that solutions are executable from the following perspectives:
 - **□** Business
 - Application
 - □ Technology
 - □ Organizational
 - **□** Governance
- Develop repeatable processes for the elimination of legacy networks

Path to NMCI...an Enterprise Solution





Network Roadmap



	NETWORKS		SERVERS		APPLICATIONS
As - Is	~ 850		~ 30K		9352 (Approved/AWR)
First Step	20 % Reduction in Networks/Servers/Applications by OCT05				
Goal	NMCI/ISNS/ONENET/Other*		(As Required)		(As Required)
	Minimum essential domain networks	i i			

Business Value Metrics



Business Process Savings • Harvested Capabilities

IT Infrastructure Savings • Hardware/Software/Admin.

Infrastructure Savings • Electrical Power / Real-estate


Information Security • Network Reliability/Availability

^{*} Potential Candidates: Virtual SYSCOMs RDT&E, S&T, BUMED, EDU Networks

Challenges: Visibility, Technical Complexity & Quantity



- Multiple Interconnected Networks
- Owned by Separate Organizations
- Networks Connect Many:
 - Servers to Servers
 - Servers to Data Stores
 - Applications to Users
- Multiple Servers on Multiple Networks deliver same application to many users
- Lack of Inventory Control



X~ 850

Complex Problem & Significant Security Implications

Legacy Network Shutdown Strategy



Tactical Focus

□ Goal: Transition a minimum of 700 Legacy servers to NMCI by 30 September 05
 □ Identify and eliminate process bottlenecks within existing processes (e.g. C&A, ECCB)
 □ Adjust Technical Infrastructure support processes to ensure continuity of operations
 □ Identify servers/apps that can migrate using existing services on contract

 Pre-Analysis by NISTT for technical and tactical compliance
 □ Submit and fulfill orders against existing services
 □ Expand contract to offer additional technical solutions
 □ Develop draft shutdown methodology; pilot with OBAN/SOBAN network
 □ Evaluate bDNA tool capability for use in discovery or registration processes


Strategic Focus

- ☐ Goal: Transition all legacy networks to NMCI by 30 December 06
- ☐ Finalize and document shutdown methodology and processes, including solution determination business rules
- ☐ Develop processes and tools for enterprise planning and reporting
- □ Launch NMCI-wide Legacy Network Shutdown project at 21 June 2005 NMCI Enterprise Conference
 - Require formal reduction projects within each claimant

Cyber Condition Zebra

NMCI – Current State







Few servers fully NMCI compliant, therefore, most servers remain on legacy network Legacy environment has direct connection to internet and significant IA concerns Est. 20% legacy servers are FAM approved and UTNPP compliant

Est. 10% legacy servers are FAM approved or FAM AWR and not UTNPP compliant or require public access

Est. 70% legacy servers are FAM AWR and UTNPP compliant


FAM approved fully UTNPP compliant

FAM AWR fully UTNPP compliant

FAM approved or AWR not UTNPP


NMCI - End State






EDS CLIN Diagram - Network





EDS CLIN Diagram - Site





CLIN 27 (Server Connections) Service Description




- CLIN 27 has 3 ordering options with 3 bandwidth configurations:
 - > CLIN 0027 Standard: AA Low, AB Medium, AC High
 - > CLIN 0027 Mission Critical: AD Low, AE Medium, AF High
 - > CLIN 0027 Basic Service: AG 5,000 servers or 2,100 applications at \$0.
- Wall plugs will be installed at sites with existing NMCI infrastructure
- CLIN 27 services categorized as Standard or Uplift.
- Standard Services available through the existing CLIN 27's and Uplifts through to-be-defined CLIN 27 options
 - NMCI server name
 - Static Internet Protocol (IP) addresses
 - Public IP addresses
 - Domain Name Servers (DNS)
 - Connection Rates
 - Help Desk Notification Connection Status
- Failover Connection
- One-Way Trust to NMCI
- Active Directory Services
- Active Directory ID's for non-NMCI users (Bandwidth)
- Network Time Protocol (NTP)
- Remote Management, SMTP, Telnet, FTP, SSH
- SSL
- Authentication Public Key Infrastructure (PKI)
- Multicasting
- Print Services NMCI Printers
- Virus Scans / Updates

- Additional static IP addresses
- Additional public IP addresses
- DNS resolution to legacy environment
- WINS
- One-Way trust configuration
- LDAP Services
- Additional Remote management/File Transfer— SMTP, Telnet, FTP, SSH capabilities
- Installation and configuration of OCSP client
- Multicasting beyond standard service level
- Virus scans / Updates services
- Information Assurance Vulnerability Alert (IAVA) / Information Assurance Vulnerability Bulletins (IAVB) management

Long Term: Navy Envisioned Connectivity






How will it notionally work?

(100 mile high view)






Notional B2 Interface NMCI-to-IT21


(10,000 ft view)





Email Flow





DMZ Project Scope



- Provide and extend system services for the DMZ.
 - ☐ These services include:
 - Directory services
 - Naming services
 - Certificate revocation checking
 - Web hosting
 - Content management
 - Authentication Services
- Solution will employ many of the standard NMCI Network, IA and Help Desk structures and processes.
- The Design will meet the following goals established by NETWARCOM:
 - □ **DYNAMIC**, able to implement changing policies within a reasonably short period of time, whether planned or urgent.
 - □ AGILE, able to support prompt migration of servers in and out of various zones during transition from legacy to fully NMCI or NMCI/DoD compliance.
 - □ ROBUST, able to support a large number of servers both at remote Navy sites and at NMCI NOC facilities.
 - □ SECURE, able to control and restrict access to specific resources while monitoring compliance with those controls.

Solution Overview



- Primary function of the NMCI DMZ will be to protect resources requiring access from un-trusted environments
- > The DMZ will include the ability for infrastructure services to be extended from the NMCI NOCs
- NMCI will host, manage and maintain responsibility for NMCI DMZ infrastructure servers
- ➤ The vast majority of the hosted systems will be operated by the Government who will retain responsibility for host and application security
- > The DMZ Active Directory service will support:

Authentication
□Directory services – including some security group authorization
□Network time
□Windows Internet Naming Service (WINS)
□Certificate revocation checking
□Lightweight Directory Access Protocol (LDAP) gueries


AHF vs. uB1 DMZ



- > AHF deployed to host Customer applications on NMCI hardware
- DMZ deployment to support hosting of legacy servers
- AHF designed with zones in serial construct each separated by a firewall:
 - ☐ Two Public Zones (Zones 0 & 1)
 - ☐ Two Private Zones (Zones 2 & 3)
 - ☐ One Management Zone (Zone 4)
 - ☐ One Backup Zone (Zone 5)
- > uB1 will utilize 4 public zones in parallel and two private zones all separated by firewall policies:
 - ☐ Public Zones
 - Internet, NIPRNet, and Special Access Zones
 These zones may have connections to the Private Access Zones
 - Purgatory Zone
 No access to Private Access Zones
 - ☐ Private Zones (No NIPRNet/Internet connectivity)
 - Management Zone Houses NMCI Infrastructure services
 - Private Access Zone Will house Customer Application Servers.


AHF vs uB1 DMZ





DMZ Network Connectivity





Solution Component Details cont.



> The uB1 Extension

- □Path utilizes VPN device to securely extend NIPRNet connectivity to Navy-owned server farms
- □ Provides a secure extension to remote sites by establishing an encrypted tunnel over NMCI WAN Transport Boundary services between the uB1 and the remote site
- □ Each DMZ security zone is capable of being extended to other NMCI sites utilizing the DMZ Extension construct



Questions?